

TINNAKORN CHAIWORAPONGSA, M.D.

PUBLICATIONS

1. **Chaiworapongsa T**, Ketupanya A, Muttamara S, Vuthiwong C. Genetic amniocentesis for prenatal diagnosis at Pramongkutklao hospital: A six-year report. *Thai Journal of Obstetrics and Gynecology* 1999;11:209-216.
2. Gervasi MT, **Chaiworapongsa T**, Pacora P, Naccasha N, Yoon BH, Maymon E, Romero R. Phenotypic and metabolic characteristics of monocytes and granulocytes in preeclampsia. *Am J Obstet Gynecol* 2001;185(4):792-797.
3. Holcomb WL Jr, **Chaiworapongsa T**, Luke DA, Burgdorf KD. An odd measure of risk: use and misuse of the odds ratio. *Obstet Gynecol* 2001;98(4):685-688.
4. Maymon E, Romero R, Pacora P, Gomez R, Mazor M, Edwin S, **Chaiworapongsa T**, Kim JC, Yoon BH, Menon R, Fortunato S, Berry SM. A role for the 72 kDa gelatinase (MMP-2) and its inhibitor (TIMP-2) in human parturition, premature rupture of membranes and intraamniotic infection. *J Perinat Med* 2001;29(4):308-316.
5. Naccasha N, Gervasi MT, **Chaiworapongsa T**, Berman S, Yoon BH, Maymon E, Romero R. Phenotypic and metabolic characteristics of monocytes and granulocytes in normal pregnancy and maternal infection. *Am J Obstet Gynecol* 2001;185(5):1118-1123.
6. Gervasi MT, **Chaiworapongsa T**, Naccasha N, Blackwell S, Yoon BH, Maymon E, Romero R. Phenotypic and metabolic characteristics of maternal monocytes and granulocytes in preterm labor with intact membranes. *Am J Obstet Gynecol* 2001;185(5):1124-1149.
7. Maymon E, Romero R, **Chaiworapongsa T**, Kim JC, Berman S, Gomez R, Edwin S. Value of amniotic fluid neutrophil collagenase concentrations in preterm premature rupture of membranes. *Am J Obstet Gynecol* 2001(5);185:1143-1148.
8. Maymon E, Romero R, **Chaiworapongsa T**, Berman S, Conoscenti G, Gomez R, Edwin S. Amniotic fluid matrix metalloproteinase-8 in preterm labor with intact membranes. *Am J Obstet Gynecol* 2001;185(5):1149-1155.
9. Gervasi MT, **Chaiworapongsa T**, Naccasha N, Pacora P, Berman S, Maymon E, Kim JC, Kim YM, Yoshimatsu J, Espinoza J, Romero R. Maternal intravascular inflammation in preterm premature rupture of membranes. *J Matern Fetal Neonatal Med* 2002;11(4):171-175.
10. Pacora P, **Chaiworapongsa T**, Maymon E, Kim YM, Gomez R, Yoon BH, Ghezzi F, Berry SM, Qureshi F, Jacques S, Kadar N, Romero R. Funisitis and chorionic vasculitis: the histologic counterpart of the fetal inflammatory response syndrome. *J Matern Fetal Neonatal Med* 2002;11(1):18-25.
11. **Chaiworapongsa T**, Romero R, Kim JC, Kim YM, Blackwell SC, Yoon BH, Gomez R. Evidence for fetal involvement in the pathologic process of clinical chorioamnionitis. *Am J Obstet Gynecol* 2002;186(6):1178-1182.

12. **Chaiworapongsa T**, Yoshimatsu J, Espinoza J, Kim YM, Berman S, Edwin S, Yoon BH, Romero R. Evidence of in vivo generation of thrombin in patients with small for gestational age and pre-eclampsia. *J Matern Fetal Neonatal Med* 2002;11(6):362-367.
13. **Chaiworapongsa T**, Espinoza J, Yoshimatsu J, Kim YM, Bujold E, Edwin S, Yoon BH, Romero R. Activation of coagulation system in preterm labor and preterm premature rupture of membranes. *J Matern Fetal Neonatal Med* 2002;11(6):368-373.
14. Lee W, **Chaiworapongsa T**, Romero R, Williams R, McNie B, Johnson A, Tradewell M, Combstock CH. A diagnostic approach for the evaluation of spina bifida by three-dimensional ultrasonography. *J Ultrasound Med* 2002;21(6):619-626.
15. **Chaiworapongsa T**, Espinoza J, Yoshimatsu J, Kalache K, Edwin S, Blackwell S, Yoon BH, Tolosa J, Gomez R, Romero R. Subclinical myocardial injury in small for gestational age neonates. *J Matern Fetal Neonatal Med* 2002;11(6):385-390.
16. **Chaiworapongsa T**, Yoshimatsu J, Kalache K, Edwin S, Bujold E, Gomez R, Romero R. Soluble adhesion molecule profile in normal pregnancy and preeclampsia. *J Matern Fetal Neonatal Med* 2002;12(1):19-27.
17. Lee W, McNie B, **Chaiworapongsa T**, Conoscenti G, Kalache K, Vettraino I, Romero R, Comstock C. Three-dimensional ultrasonographic presentation of micrognathia. *J Ultrasound Med* 2002;21(7):775-781.
18. Kim YM, **Chaiworapongsa T**, Gomez R, Bujold E, Yoon BH, Rotmensch S, Thaler HT, Romero R. Failure of physiologic transformation of the spiral arteries in the placental bed in preterm premature rupture of membranes. *Am J Obstet Gynecol* 2002;187(5):1137-1142.
19. Romero R, **Chaiworapongsa T**, Espinoza J, Gomez R, Yoon BH, Edwin S, Mazor M, Maymon E, Berry S. Fetal plasma MMP-9 concentrations are elevated in preterm premature rupture of the membranes. *Am J Obstet Gynecol* 2002;187(5):1125-1130.
20. **Chaiworapongsa T**, Gervasi MT, Refuerzo J, Espinoza J, Yoshimatsu J, Berman S, Romero R. Maternal lymphocyte subpopulations (CD45RA+ and CD45RO+) in preeclampsia. *Am J Obstet Gynecol* 2002;187(4):889-893.
21. **Chaiworapongsa T**, Tolosa G, Jun Yoshimutsu, Espinoza J, Kim YM, Bujold E, Kalache K, Edwin S, Romero R. Elevated monocyte chemoattractant protein 1 in amniotic fluid is a risk factor for pregnancy loss. *J Matern Fetal Neonatal Med* 2002;12(3):159-164.
22. Kindzelskii AL, Huang JB, **Chaiworapongsa T**, Fahmy RM, Kim YM, Romero R, Petty HR. Pregnancy alters glucose-6-phosphate dehydrogenase trafficking, cell metabolism, and oxidant release of maternal neutrophils. *J Clin Invest* 2002;110(12):1801-1811.
23. Helmig R, Romero R, Espinoza J, **Chaiworapongsa T**, Gomez R, Ohlsson K, Uldbjerg N. Neutrophil elastase and secretory leukocyte protease inhibitor in prelabor rupture of membranes, parturition, and intra-amniotic infection. *J Matern Fetal Neonatal Med* 2002;12(4):237-246.

24. Leach RE, Romero R, Kim YM, **Chaiworapongsa T**, Kilburn B, Das SK, Dey SK, Johnson A, Qureshi F, Jacques S, Armant DR. Preeclampsia and expression of heparin-binding EDG-like growth factor. *Lancet* 2002;360(9341):1215-1219.
25. Espinoza J, **Chaiworapongsa T**, Romero R, Gomez R, Kim JC, Yoshimatsu J, Edwin S, Rathnasabapathy C, Yoon BH. Evidence of participation of soluble CD14 in the host response to microbial invasion of the amniotic cavity and intra-amniotic inflammation in term and preterm gestations. *J Matern Fetal Neonatal Med* 2002;12(5):304-312.
26. Espinoza J, Romero R, **Chaiworapongsa T**, Kim JC, Yoshimatsu J, Edwin S, Rathnasabapathy C, Tolosa J, Donnerfeld A, Craparo F, Gomez R, Bujold E. Lipopolysaccharide-binding protein in microbial invasion of the amniotic cavity and human parturition. *J Matern Fetal Neonatal Med* 2002;12(5):313-321.
27. Park KH, **Chaiworapongsa T**, Kim YM, Espinoza J, Yoshimatsu J, Edwin S, Gomez R, Yoon BH, Romero R. Matrix metalloproteinase 3 in parturition, premature rupture of the membranes, and microbial invasion of the amniotic cavity. *J Perinat Med* 2003;31(1):12-22.
28. Lee W, DeVore GR, Comstock CH, Kalache KD, McNie B, **Chaiworapongsa T**, Conoscenti G, Treadwell MC, Johnson A, Huang R, Romero R. Nasal bone evaluation in fetuses with Down syndrome during the second and third trimesters of pregnancy. *J Ultrasound Med* 2003;22(1):55-60.
29. Lee W, Kalache KD, **Chaiworapongsa T**, Londono J, Treadwell MC, Johnson A, Romero R. Three-dimensional power Doppler ultrasonography during pregnancy. *J Ultrasound Med* 2003;22(1):91-7.
30. Kalache KD, Romero R, Conoscenti G, Qureshi F, Jacques SM, **Chaiworapongsa T**, Treadwell M, Johnson A. Prenatal diagnosis of dilated coronary sinus with persistent left superior vena cava in a fetus with trisomy 18. *Prenat Diagn* 2003;23(2):108-110.
31. Kalache KD, Espinoza J, **Chaiworapongsa T**, Londono J, Schoen ML, Treadwell MC, Lee W, Romero R. Three-dimensional ultrasound fetal lung volume measurement: a systematic study comparing the multiplanar method with the rotational (VOCAL) technique. *Ultrasound Obstet Gynecol* 2003;21(2):111-118.
32. Espinoza J, **Chaiworapongsa T**, Romero R, Edwin S, Rathnasabapathy C, Gomez R, Bujold E, Camacho N, Kim YM, Hassan S, Blackwell S, Whitty J, Berman S, Redman M, Yoon BH, Sorokin Y. Antimicrobial peptides in amniotic fluid: defensins, calprotectin and bacterial/permeability-increasing protein in patients with microbial invasion of the amniotic cavity, intra-amniotic inflammation, preterm labor and premature rupture of membranes. *J Matern Fetal Neonatal Med* 2003;13(1):2-21.
33. Yoon BH, Romero R, Moon J, **Chaiworapongsa T**, Espinoza J, Kim YM, Edwin S, Kim JC, Camacho N, Bujold E, Gomez R. Differences in the fetal interleukin-6 response to microbial invasion of the amniotic cavity between term and preterm gestation. *J Matern Fetal Neonatal Med* 2003;13(1):32-38.
34. Neale D, Demasio K, Illuzi J, **Chaiworapongsa T**, Romero R, Mor G. Maternal serum of women with pre-eclampsia reduces trophoblast cell viability: evidence for an increased sensitivity to Fas-mediated apoptosis. *J Matern Fetal Neonatal Med* 2003;13(1):39-44.

35. Fidel P, Ghezzi F, Romero R, **Chaiworapongsa T**, Espinoza J, Cutright J, Wolf N, Gomez R. The effect of antibiotic therapy on intrauterine infection-induced preterm parturition in rabbits. *J Matern Fetal Neonatal Med* 2003(1);14:57-64.
36. Keelan JA, Wang K, **Chaiworapongsa T**, Romero R, Mitchell MD, Sato TA, Brown DA, Fairlie WD, Breit SN. Macrophage inhibitory cytokine 1 in fetal membranes and amniotic fluid from pregnancies with and without preterm labour and premature rupture of membranes. *Mol Hum Reprod* 2003;9(9):535-540.
37. Blackwell S, Romero R, **Chaiworapongsa T**, Kim YM, Bujold E, Espinoza J, Camacho N, Hassan S, Yoon BH, Refuerzo JS. Maternal and fetal inflammatory responses in unexplained fetal death. *J Matern Fetal Neonatal Med* 2003;14(3):151-157.
38. Esplin MS, Romero R, **Chaiworapongsa T**, Kim YM, Edwin S, Gomez R, Gonzalez R, Adashi EY. Amniotic fluid levels of immunoreactive monocyte chemotactic protein-1 increase during term parturition. *J Matern Fetal Neonatal Med* 2003;14(1):51-56.
39. Kim YM, Bujold E, **Chaiworapongsa T**, Gomez R, Yoon BH, Thaler HT, Rotmensch S, Romero R. Failure of physiologic transformation of the spiral arteries in patients with preterm labor and intact membranes. *Am J Obstet Gynecol* 2003;189(4):1063-1069.
40. Kalache KD, Romero R, Goncalves LF, **Chaiworapongsa T**, Espinoza J, Schoen ML, Treadwell M, Lee W. Three-dimensional color power imaging of the fetal hepatic circulation. *Am J Obstet Gynecol* 2003;189(5):1401-1406.
41. Goncalves LF, **Chaiworapongsa T**, Espinoza J, Schoen ML, Falkensammer P, Treadwell M., Romero R. Four-dimensional ultrasonography of the fetal heart with spatiotemporal image correlation. *Am J Obstet Gynecol* 2003;189(6):1792-1802.
42. Blackwell S, Romero R, **Chaiworapongsa T**, Refuerzo J, Gervasi MT, Yoshimatsu J, Espinoza J, Berman S, Yoon BH. Unexplained fetal death is associated with changes in the adaptive limb of the immune response consistent with prior antigenic exposure. *J Matern Fetal Neonatal Med* 2003;14(4):241-246.
43. Bujold E, **Chaiworapongsa T**, Romero R, Gervasi MT, Espinoza J, Goncalves LF, Berman S, Yoon BH, Kim YM. Neonates born to pre-eclamptic mothers have a higher percentage of natural killer cells (CD3-/CD56+16+) in umbilical cord blood than those without pre-eclampsia. *J Matern Fetal Neonatal Med* 2003;14(5):305-312.
44. Keelan JA, Yang J, Romero RJ, **Chaiworapongsa T**, Marvin KW, Sato TA, Mitchell MD. Epithelial cell-derived neutrophil-activating peptide-78 is present in fetal membranes and amniotic fluid at increased concentrations with intraamniotic infection and preterm delivery. *Biol Reprod* 2004;70(1):253-259.
45. Goncalves LF, Romero R, Espinoza J, Lee W, Treadwell M, Chintala K, Brandl H, **Chaiworapongsa T**. Four-dimensional ultrasonography of the fetal heart using color Doppler spatiotemporal image correlation. *J Ultrasound Med* 2004;23(4):473-481.
46. Kindzelskii AL, Ueki T, Michibata H, **Chaiworapongsa T**, Romero R, Petty HR. 6-phosphogluconate dehydrogenase and glucose-6-phosphate dehydrogenase form a supramolecular complex in human neutrophils that undergoes retrograde trafficking during pregnancy. *J Immunol* 2004;172(10):6373-6381.

47. **Chaiworapongsa T**, Romero R, Espinoza J, Bujold E, Kim YM, Goncalves LF, Gomez R, Edwin S. Evidence supporting a role for blockade of the vascular endothelial growth factor system in the pathophysiology of preeclampsia. Young Investigator Award. Am J Obstet Gynecol 2004;190(6):1541-1547; discussion 1547-1550.
48. Abraham VM, Bole-Aldo P, Kim YM, Strazewski-Chavez SL, **Chaiworapongsa T**, Romero R, Mor G. Divergent trophoblast responses to bacterial products mediated by TLRs. J Immunol 2004;173(7):4286-4296.
49. Espinoza J, Goncalves LF, Lee W, **Chaiworapongsa T**, Treadwell M, Stites S, Schoen ML, Mazor M, Romero R. The use of the minimum projection mode in 4-dimensional examination of the fetal heart with spatiotemporal image correlation. J Ultrasound Med 2004;23(10):1337-1348.
50. Tromp G, Kuivaniemi H, Romero R, **Chaiworapongsa T**, Kim YM, Kim MR, Maymon E, Edwin S. Genome-wide expression profiling of fetal membranes reveals a deficient expression of proteinase inhibitor 3 in premature rupture of membranes. Am J Obstet Gynecol 2004;191(4):1331-1338.
51. Kim YM, Romero R, **Chaiworapongsa T**, Kim GJ, Kim MR, Kuivaniemi H, Tromp G, Espinoza J, Bujold E, Abraham VM, Mor G. Toll-like receptor-2 and -4 in the chorioamniotic membranes in spontaneous labor at term and in preterm parturition that are associated with chorioamnionitis. Am J Obstet Gynecol 2004;191(4):1346-1355.
52. Espinoza J, Kalache K, Goncalves LF, **Chaiworapongsa T**, Schoen ML, Devers P, Tradewell M, Mazor M, Romero R. Prenatal diagnosis of membranous ventricular septal aneurysms and their association with absence of atrioventricular valve 'offsetting'. Ultrasound Obstet Gynecol 2004;24(7):787-792.
53. Goncalves LF, Espinoza J, Lee W, Schoen ML, Devers P, Mazor M, **Chaiworapongsa T**, Devore GR, Romero R. Phenotypic characteristics of absent and hypoplastic nasal bones in fetuses with Down syndrome: description by 3-dimensional ultrasonography and clinical significance. J Ultrasound Med 2004;23(12):1619-1627.
54. Lee W, Deter RL, McNie B, Goncalves LF, Espinoza J, **Chaiworapongsa T**, Romero R. Individualized growth assessment of fetal soft tissue using fractional thigh volume. Ultrasound Obstet Gynecol 2004;24(7):766-774.
55. Romero R, Espinoza J, Goncalves LF, Gomez R, Medina L, Silva M, **Chaiworapongsa T**, Yoon BH, Ghezzi F, Lee w, Tradewell M, Berry SM, Maymon E, Mazor M, Devore G. Fetal cardiac dysfunction in preterm premature rupture of membranes. J Matern Fetal Neonatal Med 2004;16(3):146-157.
56. Sleurs E, Goncalves LF, Johnson A, Espinoza J, Devers P, **Chaiworapongsa T**, Romero R. First-trimester three-dimensional ultrasonographic findings in a fetus with frontonasal malformation. J Matern Fetal Neonatal Med 2004;16(3):187-197.
57. Gomez R, Romero R, Medina L, Nien JK, **Chaiworapongsa T**, Carstens M, Gonzalez R, Espinoza J, Iams JD, Edwin S, Rojas I. Cervicovaginal fibronectin improves the prediction of preterm delivery based on sonographic cervical length in patients with preterm uterine contractions and intact membranes. Am J Obstet Gynecol 2005;192(2):350-359.

58. Gomez R, Romero R, Nien JK, **Chaiworapongsa T**, Medina L, Kim YM, Yoon BH, Carstens M, Espinoza J, Iams JD, Gonzalez R. A short cervix in women with preterm labor and intact membranes: a risk factor for microbial invasion of the amniotic cavity. *Am J Obstet Gynecol* 2005;192(3):678-689.
59. Espinoza J, Goncalves LF, Romero R, Nien JK, Stites S, Kim YM, Hassan S, Gomez R, Yoon BH, **Chaiworapongsa T**, Lee W, Mazor M. The prevalence and clinical significance of amniotic fluid 'sludge' in patients with preterm labor and intact membranes. *Ultrasound Obstet Gynecol* 2005;25(4):346-352.
60. **Chaiworapongsa T**, Romero R, Kim YM, Kim GJ, Kim MR, Espinoza J, Bujold E, Goncalves LF, Gomez R, Edwin S, Mazor M. Plasma soluble vascular endothelial growth factor receptor-1 concentration is elevated prior to the clinical diagnosis of pre-eclampsia. *J Matern Fetal Neonatal Med* 2005(1);17:3-18.
61. Mitchell MD, Chang MC, **Chaiworapongsa T**, Lan HY, Helliwell RJ, Romero R, Sato TA. Identification of 9alpha,11beta-prostaglandin F2 in human amniotic fluid and characterization of its production by human gestational tissues. *J Clin Endocrinol Metab* 2005;90(7):4244-4248.
62. Lee W, Deter RL, Mcnie B, Goncalves LF, Espinoza J, **Chaiworapongsa T**, Balasubramaniam M, Romero R. The fetal arm: individualized growth assessment in normal pregnancies. *J Ultrasound Med* 2005;24(6):817-828.
63. Esplin MS, Romero R, **Chaiworapongsa T**, Kim YM, Edwin S, Gomez R, Mazor, Adashi EY. Monocyte chemotactic protein-1 is increased in the amniotic fluid of women who deliver preterm in the presence or absence of intra-amniotic infection. *J Matern Fetal Neonatal Med* 2005;17(6):365-373.
64. Farina A, Leshane ES, Romero R, **Chaiworapongsa T**, Gomez R, Rizzo N, Bianchi DW. High levels of fetal cell-free DNA in maternal serum: a risk factor for spontaneous preterm delivery. *J Obstet Gynecol* 2005;193(2):421-425.
65. Bujold E, Romero R, **Chaiworapongsa T**, Kim YM, Kim GJ, Kim MR, Goncalves LF, Espinoza J, Gomez R, Edwin S, Mazor M. Evidence supporting that the excess of the sVEGFR-1 concentration in maternal plasma in preeclampsia has a uterine origin. *J Matern Fetal Neonatal Med* 2005;18(7):9-16.
66. Gomez R, Romero R, Nien JK, Medina L, Carstens M, **Chaiworapongsa T**, Gonzalez R, Espinoza J, Iams JD, Edwin S, Rojas I. Idiopathic vaginal bleeding during pregnancy as the only clinical manifestation of intrauterine infection. *J Matern Fetal Neonatal Med* 2005;18(7):31-37.
67. Soto E, Richani K, Romero R, Espinoza J, **Chaiworapongsa T**, Nien JK, Edwin S, Kim YM, Hong JS, Mazor M. Increased concentration of the complement split product C5a in acute pyelonephritis during pregnancy. *J Matern Fetal Neonatal Med* 2005;17(4):247-252.
68. Goncalves LF, Espinoza J, Romero R, Lee W, Treadwell MC, Huang R, Devore G, **Chaiworapongsa T**, Schoen ML, Beyer B. Four-dimensional fetal echocardiography with spatiotemporal image correlation (STIC): a systematic study of standard cardiac views assessed by different observers. *J Matern Fetal Neonatal Med* 2005;17(5):323-331.
69. Richani K, Romero R, Soto E, Espinoza J, Nien JK, **Chaiworapongsa T**, Refuerzo J, Blackwell S, Edwin S, Mazor M. Unexplained intrauterine fetal death is accompanied by activation of complement. *J Perinat Med* 2005;33(4):296-305.

70. Soto E, Romero R, Richani K, Espinoza J, Nien JK, **Chaiworapongsa T**, Santaloya-Forgas J, Edwin S, Mazor M. Anaphylatoxins in preterm and term labor. *J Perinat Med* 2005;33(4):306-313.
71. Petty HR, Kindzelskii AL, **Chaiworapongsa T**, Petty AR, Romero R. Oxidant release is dramatically increased by elevated glucose concentrations in neutrophils from pregnant women. *J Matern Fetal Neonatal Med* 2005;18(12):397-404.
72. **Chaiworapongsa T**, Romero R, Espinoza J, Kim YM, Edwin Sam, Bujold E, Gomez R, Kuivaniemi H. Macrophage migration inhibitory factor in patients with preterm parturition and microbial invasion of the amniotic cavity. *Matern Fetal Neonatal Med* 2005;18(12):405-416.
73. Helliwell RJ, Keelan JA, Marvin KW, Adams L, Chang MC, Anand A, Sato TA, O'Carroll S, **Chaiworapongsa T**, Romero R, Mitchell MD. Gestational age-dependent up-regulation of prostaglandin D synthase (PGDS) and production of PGDS-derived antiinflammatory prostaglandins in human placenta. *J Clin Endocrinol Metab* 2006;91(2):597-606.
74. Chowdhury MA, Kuivaniemi H, Romero R, Edwin S, **Chaiworapongsa T**, Tromp G. Identification of novel functional sequence variants in the gene for peptidase inhibitor *BMC Med Genet* 2006;7:49.
75. Haddard R, Tromp G, Kuivaniemi H, **Chaiworapongsa T**, Kim YM, Romero R. Human spontaneous labor without histologic chorioamnionitis is characterized by an acute inflammation gene expression signature. *Am J Obstet Gynecol* 2006;195(2):394.e1-24.
76. Kim YM, Romero R, **Chaiworapongsa T**, Espinoza J, Mor G, Kim CJ. Dermatitis as a component of the fetal inflammatory response syndrome is associated with activation of Toll-like receptors in epidermal keratinocytes. *Histopathology* 2006;49(5):506-514.
77. Espinoza J, Romero R, Nien JK, Kusanovic JP, Richani K, Gomez R, Kim CJ, Mittal P, Gotsh F, Erez O, **Chaiworapongsa T**, Hassan S. A role of the anti-angiogenic factor sVEGFR-1 in the 'mirror syndrome' (Ballantyne's syndrome). *J Matern Fetal Neonatal Med* 2006;19(10):607-613.
78. Goddard KA, Tromp G, Romero R, Olson JM, Lu Q, Xu Z, Parimi N, Nien JK, Gomez R, Behnka E, Solari M, Espinoza J, Santaloya J, **Chaiworapongsa T**, Lenk GM, Volkenanat K, Anant MK, Salisbury BA, Carr J, Lee MS, Vovis GF, Kuivaniemi H. Candidate-gene association study of mothers with pre-eclampsia, and their infants, analyzing 775 SNPs in 190 genes. *Hum Hered* 2007;63(1):1-16.
79. Gomez R, Romero R, Nien JK, Medina L, Carstens M, Kim YM, Espinoza J, **Chaiworapongsa T**, Gonzalez R, Iams, JD, Rojas I. Antibiotic administration to patients with preterm premature rupture of membranes does not eradicate intra-amniotic infection. *J Matern Fetal Neonatal Med* 2007;20(2):167-173.
80. Friel LA, Romero R, Edwin S, Nien JK, Gomez R, **Chaiworapongsa T**, Kusanovic JP, Tolosa JE, Hassan SS, Espinoza J. The calcium binding protein, S100B, is increased in the amniotic fluid of women with intra-amniotic infection/inflammation and preterm labor with intact or ruptured membranes. *J Perinat Med* 2007;35(5):385-393.

81. Espinoza J, **Chaiworapongsa T**, Romero R, Kim YM, Kim GJ, Nien JK, Kusanovic JP, Erez O, Bujold E, Goncalves LF, Gomez R, Edwin S. Unexplained fetal death: another anti-angiogenic state. *J Matern Fetal Neonatal Med* 2007;20(7):495-507.
82. Erez O, Hoppensteadt D, Romero R, Espinoza J, Goncalves LF, Nien JK, Kusanovic JP, Fareed J, Gotsch F, Pineles B, **Chaiworapongsa T**. Preeclampsia is associated with low concentrations of protein Z. *J Matern Fetal Neonatal Med*. 2007;20(9):661-667.
83. Gotsch F, Romero R, Friel LA, Kusanovic JP, Espinoza J, Erez O, Than NG, Mittal P, Edwin S, Yoon BH, Kim CJ, Mazaki-Tovi S, **Chaiworapongsa T**, Hassan SS. CXCL10/IP-10: a missing link between inflammation and anti-angiogenesis in preeclampsia? *J Matern Fetal Neonatal Med* 2007;20(11):777-792.
84. Kusanovic JP, Romero R, Espinoza J, Gotsch F, Edwin S, **Chaiworapongsa T**, Mittal P, Soto E, Erez O, Mazaki-Tovi S, Than NG, Friel LA, Yoon BH, Mazor M, Hassan SS. Maternal serum soluble CD30 is increased in pregnancies complicated with acute pyelonephritis. *J Matern Fetal Neonatal Med* 2007;20(11):803-811.
85. Kusanovic JP, Romero R, Hassan SS, Gotsch F, Edwin S, **Chaiworapongsa T**, Erez O, Mittal P, Mazaki-Tovi S, Soto E, Than NG, Friel LA, Yoon BH, Espinoza J. Maternal serum soluble CD30 is increased in normal pregnancy, but decreased in preeclampsia and small for gestational age pregnancies. *J Matern Fetal Neonatal Med* 2007;20(12):867-878.
86. Romero R, Nien JK, Espinoza J, Todem D, Fu W, Chung H, Kusanovic JP, Gotsch F, Erez O, Mazaki-Tovi S, Gomez R, Edwin S, **Chaiworapongsa T**, Levine RJ, Karumanchi SA. A longitudinal study of angiogenic (placental growth factor) and anti-angiogenic (soluble endoglin and soluble vascular endothelial growth factor receptor-1) factors in normal pregnancy and patients destined to develop preeclampsia and deliver a small for gestational age neonate. *J Matern Fetal Neonatal Med* 2008;21(1):9-23.
87. **Chaiworapongsa T**, Espinoza J, Gotsch F, Kim YM, Kim GJ, Goncalves LF, Edwin S, Kusanovic JP, Erez O, Than NG, Hassan SS, Romero R. The maternal plasma soluble vascular endothelial growth factor receptor-1 concentration is elevated in SGA and the magnitude of the increase relates to Doppler abnormalities in the maternal and fetal circulation. *J Matern Fetal Neonatal Med* 2008;21(1):25-40.
88. **Chaiworapongsa T**, Romero R, Gotsch F, Espinoza J, Nien JK, Goncalves LF, Edwin S, Kim YM, Erez O, Kusanovic JP, Pineles BL, Papp Z, Hassan SS. Low maternal concentrations of soluble vascular endothelial growth factor receptor-2 in preeclampsia and small for gestational age. *J Matern Fetal Neonatal Med* 2008;21(1):41-52.
89. Erez O, Romero R, Espinoza J, Fu W, Todem D, Kusanovic JP, Gotsch F, Edwin S, Nien JK, **Chaiworapongsa T**, Mittal P, Mazaki-Tovi S, Than NG, Gomez R, Hassan SS. The change in concentrations of angiogenic and anti-angiogenic factors in maternal plasma between the first and second trimesters in risk assessment for the subsequent development of preeclampsia and small-for-gestational age. *J Matern Fetal Neonatal Med* 2008(5);21:279-287.
90. Florio P, Romero R, **Chaiworapongsa T**, Kusanovic JP, Torricelli M, Lowry PJ, Petraglia F. Amniotic fluid and umbilical cord plasma corticotropin-releasing factor

(CRF), CRF-binding protein, adrenocorticotropin, and cortisol concentrations in intraamniotic infection and inflammation at term. *J Clin Endocrinol Metab* 2008;93(9):3604-3609.

91. Gotsch F, Romero R, Kusanovic JP, **Chaiworapongsa T**, Dombrowski M, Erez O, Than NG, Mazaki-Tovi S, Mittal P, Espinoza J, Hassan SS. Preeclampsia and small-for-gestational age are associated with decreased concentrations of a factor involved in angiogenesis: soluble Tie-2. *J Matern Fetal Neonatal Med* 2008;21(6):389-402.
92. **Chaiworapongsa T**, Erez O, Kusanovic JP, Vaisbuch E, Mazaki-Tovi S, Gotsch F, Than NG, Mittal P, Kim YM, Camacho N, Edwin S, Gomez R, Hassan SS, Romero R. Amniotic fluid heat shock protein 70 concentration in histologic chorioamnionitis, term and preterm parturition. *J Matern Fetal Neonatal Med* 2008;21(7):449-461.
93. Erez O, Romero R, Hoppensteadt D, Fareed J, **Chaiworapongsa T**, Kusanovic JP, Mazaki-Tovi S, Gotsch F, Gabor Than N, Vaisbuch E, Jai Kim C, Espinoza J, Mittal P, Hamill N, Nhan-Chang CL, Mazor M, Hassan S. Premature labor: a state of platelet activation? *J Perinat Med* 2008;36(5):377-387.
94. Mazaki-Tovi S, Romero R, Kusanovic JP, Erez O, Gotsch F, Mittal P, Than NG, Nhan-Chang CL, Hamill N, Vaisbuch E, **Chaiworapongsa T**, Edwin SS, Nien JK, Gomez R, Espinoza J, Kendal-Wright C, Hassan SS, Bryant-Greenwood G. Visfatin/Pre-B cell colony-enhancing factor in amniotic fluid in normal pregnancy, spontaneous labor at term, preterm labor and prelabor rupture of membranes: an association with subclinical intrauterine infection in preterm parturition. *J Perinat Med* 2008;36(6):485-496.
95. Gotsch F, Romero R, Kusanovic JP, Erez O, Espinoza J, Kim CJ, Vaisbuch E, Than NG, Mazaki-Tovi S, **Chaiworapongsa T**, Mazor M, Yoon BH, Edwin S, Gomez R, Mittal P, Hassan SS, Sharma S. The anti-inflammatory limb of the immune response in preterm labor, intra-amniotic infection/inflammation, and spontaneous parturition at term: a role for interleukin-10. *J Matern Fetal Neonatal Med* 2008;21(8):529-547.
96. Gotsch F, Romero R, **Chaiworapongsa T**, Erez O, Vaisbuch E, Espinoza J, Kusanovic JP, Mittal P, Mazaki-Tovi S, Kim CJ, Kim JS, Edwin S, Nhan-Chang CL, Hamill N, Friel L, Than NG, Mazor M, Yoon BH, Hassan SS. Evidence of the involvement of caspase-1 under physiologic and pathologic cellular stress during human pregnancy: a link between the inflammasome and parturition. *J Matern Fetal Neonatal Med* 2008;21(9):605-616.
97. Nien JK, Romero R, Hoppensteadt D, Erez O, Espinoza J, Soto E, Kusanovic JP, Gotsch F, Kim CJ, Mittal P, Fareed J, Santolaya J, **Chaiworapongsa T**, Edwin S, Pineles B, Hassan S. Pyelonephritis during pregnancy: a cause for an acquired deficiency of protein Z. *J Matern Fetal Neonatal Med* 2008;21(9):629-637.
98. **Chaiworapongsa T**, Hong JS, Hull WM, Kim CJ, Gomez R, Mazor M, Romero R, Whitsett JA. The concentration of surfactant protein-A in amniotic fluid decreases in spontaneous human parturition at term. *J Matern Fetal Neonatal Med* 2008;21(9):652-659.
99. **Chaiworapongsa T**, Hong JS, Hull WM, Romero R, Whitsett JA. Amniotic fluid concentration of surfactant proteins in intra-amniotic infection. *J Matern Fetal Neonatal Med*. 2008;21(9):663-670.

100. Bujold E, Romero R, Kusanovic JP, Erez O, Gotsch F, **Chaiworapongsa T**, Gomez R, Espinoza J, Vaisbuch E, Mee Kim Y, Edwin S, Pisano M, Allen B, Podust VN, Dalmaso EA, Rutherford J, Rogers W, Moser A, Yoon BH, Barder T. Proteomic profiling of amniotic fluid in preterm labor using two-dimensional liquid separation and mass spectrometry. *J Matern Fetal Neonatal Med* 2008;21(10):697-713.
101. Erez O, Espinoza J, **Chaiworapongsa T**, Gotsch F, Kusanovic JP, Than NG, Mazaki-Tovi S, Vaisbuch E, Papp Z, Yoon BH, Han YM, Hoppensteadt D, Fareed J, Hassan SS, Romero R. A link between a hemostatic disorder and preterm PROM: a role for tissue factor and tissue factor pathway inhibitor. *J Matern Fetal Neonatal Med* 2008;21(10):732-744.
102. Mazaki-Tovi S, Romero R, Kusanovic JP, Erez O, Vaisbuch E, Gotsch F, Mittal P, Than GN, Nhan-Chang C, **Chaiworapongsa T**, Edwin S, Camacho N, Nien JK, Hassan SS. Adiponectin multimers in maternal plasma. *J Matern Fetal Neonatal Med* 2008(11);21:796-815.
103. Erez O, Romero R, Hoppensteadt D, Than NG, Fareed J, Mazaki-Tovi S, Espinoza J, **Chaiworapongsa T**, Kim SS, Yoon BH, Hassan SS, Gotsch F, Friel L, Vaisbuch E, Kusanovic JP. Tissue factor and its natural inhibitor in pre-eclampsia and SGA. *J Matern Fetal Neonatal Med* 2008;21(12):855-869.
104. Kusanovic JP, Romero R, Mazaki-Tovi S, **Chaiworapongsa T**, Mittal P, Gotsch F, Erez O, Vaisbuch E, Edwin SS, Than NG, Camacho N, Pacora P, Rogers W, Hassan SS. Resistin in amniotic fluid and its association with intra-amniotic infection and inflammation. *J Matern Fetal Neonatal Med* 2008;21(12):902-916.
105. Mazaki-Tovi S, Romero R, Kusanovic JP, Vaisbuch E, Erez O, Than NG, **Chaiworapongsa T**, Nhan-Chang CL, Pacora P, Gotsch F, Yeo L, Kim SK, Edwin SS, Hassan SS, Mittal P. Visfatin in human pregnancy: maternal gestational diabetes vis-à-vis neonatal birthweight. *J Perinat Med* 2009;37(3):218-231.
106. Mazaki-Tovi S, Romero R, Kusanovic JP, Vaisbuch E, Erez O, Than NG, **Chaiworapongsa T**, Nhan-Chang CL, Pacora P, Gotsch F, Yeo L, Kim SK, Edwin SS, Hassan SS, Mittal P. Maternal visfatin concentration in normal pregnancy. *J Perinat Med* 2009(3);37:206-217.
107. Mazaki-Tovi S, Romero R, Vaisbuch E, Kusanovic JP, Erez O, Gotsch F, **Chaiworapongsa T**, Than NG, Kim SK, Nhan-Chang CL, Jodicke C, Pacora P, Yeo L, Dong Z, Yoon BH, Hassan SS, Mittal P. Maternal serum adiponectin multimers in preeclampsia. *J Perinat Med* 2009(4);37:349-63.
108. Pacora P, Romero R, **Chaiworapongsa T**, Kusanovic JP, Erez O, Vaisbuch E, Mazaki-Tovi S, Gotsch F, Jai Kim C, Than NG, Yeo L, Mittal P, Hassan SS. Amniotic fluid angiopoietin-2 in term and preterm parturition, and intra-amniotic infection/inflammation. *J Perinat Med* 2009;37(5):503-511.
109. Kim SK, Romero R, **Chaiworapongsa T**, Kusanovic JP, Mazaki-Tovi S, Mittal P, Erez O, Vaisbuch E, Gotsch F, Pacora P, Yeo L, Gervasi MT, Lamont RF, Yoon BH, Hassan SS. Evidence of changes in the immunophenotype and metabolic characteristics (intracellular reactive oxygen radicals) of fetal, but not maternal, monocytes and granulocytes in the fetal inflammatory response syndrome. *J Perinat Med* 2009;37(5):543-552.

110. Vaisbuch E, Kusanovic JP, Erez O, Mazaki-Tovi S, Gotsch F, Kim CJ, Kim JS, **Chaiworapongsa T**, Edwin S, Than NG, Nhan-Chang CL, Mazor M, Mittal P, Hassan SS, Romero R. Amniotic fluid fetal hemoglobin in normal pregnancies and pregnancies complicated with preterm labor or prelabor rupture of membranes. *J Matern Fetal Neonatal Med* 2009;22(5):388-397.
111. Mazaki-Tovi S, Romero R, Vaisbuch E, Erez O, Mittal P, **Chaiworapongsa T**, Kim SK, Pacora P, Yeo L, Gotsch F, Dong Z, Yoon BH, Hassan SS, Kusanovic JP. Maternal serum adiponectin multimers in patients with a small-for-gestational-age newborn. *J Perinat Med* 2009;37(6):623-635.
112. Mazaki-Tovi S, Romero R, Vaisbuch E, Erez O, Mittal P, **Chaiworapongsa T**, Kim SK, Pacora P, Yeo L, Gotsch F, Dong Z, Yoon BH, Hassan SS, Kusanovic JP. Maternal serum adiponectin multimers in gestational diabetes. *J Perinat Med* 2009;37(6):637-650.
113. Mazaki-Tovi S, Romero R, Vaisbuch E, Erez O, **Chaiworapongsa T**, Mittal P, Kim SK, Pacora P, Gotsch F, Dong Z, Hassan SS, Kusanovic JP. Maternal plasma visfatin in preterm labor. *J Matern Fetal Neonatal Med* 2009;22(8):693-704.
114. Mazaki-Tovi S, Romero R, Vaisbuch E, Erez O, Mittal P, **Chaiworapongsa T**, Kim SK, Pacora P, Yeo L, Gotsch F, Dong Z, Nhan-Chang CL, Jodicke C, Yoon BH, Hassan SS, Kusanovic JP. Dysregulation of maternal serum adiponectin in preterm labor. *J Matern Fetal Neonatal Med* 2009;22(10):887-904.
115. Erez O, Romero R, Vaisbuch E, Mazaki-Tovi S, Kusanovic JP, **Chaiworapongsa T**, Than NG, Gotsch F, Kim CJ, Mittal P, Edwin S, Pacora P, Kim SK, Yeo L, Mazor M, Hassan SS. Maternal anti-protein Z antibodies in pregnancies complicated by pre-eclampsia, SGA and fetal death. *J Matern Fetal Neonatal Med* 2009;22(8):662-671.
116. Vaisbuch E, Romero R, Erez O, Mazaki-Tovi S, Kusanovic JP, Soto E, Gotsch F, Dong Z, **Chaiworapongsa T**, Kim SK, Mittal P, Pacora P, Yeo L, Hassan SS. Fragment Bb in amniotic fluid: evidence for complement activation by the alternative pathway in women with intra-amniotic infection/inflammation. *J Matern Fetal Neonatal Med* 2009;22(10):905-916.
117. Erez O, Gotsch F, Mazaki-Tovi S, Vaisbuch E, Kusanovic JP, Kim CJ, **Chaiworapongsa T**, Hoppensteadt D, Fareed J, Than NG, Nhan-Chang CL, Yeo L, Pacora P, Mazor M, Hassan SS, Mittal P, Romero R. Evidence of maternal platelet activation, excessive thrombin generation, and high amniotic fluid tissue factor immunoreactivity and functional activity in patients with fetal death. *J Matern Fetal Neonatal Med* 2009;22(8):672-87.
118. Hamill N, Romero R, Hassan SS, Lee W, Myers SA, Mittal P, Kusanovic JP, **Chaiworapongsa T**, Vaisbuch E, Espinoza J, Gotsch F, Carletti A, Gonçalves LF, Yeo L. Repeatability and reproducibility of fetal cardiac ventricular volume calculations using spatiotemporal image correlation and virtual organ computer-aided analysis. *J Ultrasound Med* 2009;28(10):1301-1311.
119. Mittal P, Romero R, Mazaki-Tovi S, Tromp G, Tarca AL, Kim YM, **Chaiworapongsa T**, Kusanovic JP, Erez O, Than NG, Hassan SS. Fetal membranes as an interface between inflammation and metabolism: increased Aquaporin 9 expression in the presence of spontaneous labor at term and chorioamnionitis. *J Matern Fetal Neonatal Med*. 2009;22(12):1167-1175.

120. Erez O, Romer R, Vaisbuch E, **Chaiworapongsa T**, Kusanovic JP, Mazaki-Tovi S, Gotsch F, Gomez R, Maymon E, Pacora P, Edwin SS, Kim CJ, Than NG, Mittal P, Yeo L, Dong Z, Yoon BH, Hassan SS, Mazor M. Changes in amniotic fluid concentration of thrombin-antithrombin III complexes in patients with preterm labor: evidence of an increased thrombin generation. *J Matern Fetal Neonatal Med* 2009;22(11):971-982.
121. Soto E, Romero R, Richani K, Yoon BH, **Chaiworapongsa T**, Vaisbuch E, Mittal P, Erez O, Gotsch F, Mazor M, Kusanovic JP. Evidence for complement activation in the amniotic fluid of women with spontaneous preterm labor and intra-amniotic infection. *J Matern Fetal Neonatal Med* 2009;22(11):983-992.
122. Than NG, Romero R, Tarca AL, Draghici S, Erez O, **Chaiworapongsa T**, Kim YM, Kim SK, Vaisbuch E, Tromp G. Mitochondrial manganese superoxide dismutase mRNA expression in human chorioamniotic membranes and its association with labor, inflammation, and infection. *J Matern Fetal Neonatal Med* 2009;22(11):1000-1013.
123. Kusanovic JP, Romero R, **Chaiworapongsa T**, Erez O, Mittal P, Vaisbuch E, Mazaki-Tovi S, Gotsch F, Edwin SS, Gomez R, Yeo L, Conde-Agudelo A, Hassan SS. A prospective cohort study of the value of maternal plasma concentrations of angiogenic and anti-angiogenic factors in early pregnancy and midtrimester in the identification of patients destined to develop preeclampsia. *J Matern Fetal Neonatal Med* 2009;22(11):1021-1038.
124. Erez O, Romero R, Tarca AL, **Chaiworapongsa T**, Kim YM, Than NG, Vaisbuch E, Draghici S, Tromp G. Differential expression pattern of genes encoding for anti-microbial peptides in the fetal membranes of patients with spontaneous preterm labor and intact membranes and those with preterm prelabor rupture of the membranes. *J Matern Fetal Neonatal Med* 2009;22(12):1103-1115.
125. **Chaiworapongsa T**, Romero R, Tarca A, Pedro Kusanovic J, Mittal P, Kwon Kim S, Gotsch F, Erez O, Vaisbuch E, Mazaki-Tovi S, Pacora P, Ogge G, Dong Z, Jai Kim C, Yeo L, Hassan SS. A subset of patients destined to develop spontaneous preterm labor has an abnormal angiogenic/anti-angiogenic profile in maternal plasma: evidence in support of pathophysiologic heterogeneity of preterm labor derived from a longitudinal study. *J Matern Fetal Neonatal Med* 2009;22(12):1122-1139.
126. Kusanovic JP, Romero R, Jodicke C, Mazaki-Tovi S, Vaisbuch E, Erez O, Mittal P, Gotsch F, **Chaiworapongsa T**, Edwin SS, Pacora P, Hassan SS. Amniotic fluid soluble human leukocyte antigen-G in term and preterm parturition, and intra-amniotic infection/inflammation. *J Matern Fetal Neonatal Med* 2009;22(12):1151-1166.
127. Kusanovic JP, Romero R, **Chaiworapongsa T**, Mittal P, Mazaki-Tovi S, Vaisbuch E, Erez O, Gotsch F, Than NG, Edwin SS, Pacora P, Jodicke C, Yeo L, Hassan SS. Amniotic fluid sTREM-1 in normal pregnancy, spontaneous parturition at term and preterm, and intra-amniotic infection/inflammation. *J Matern Fetal Neonatal Med* 2010;23(1):34-47.
128. Mazaki-Tovi S, Romero R, Vaisbuch E, Kusanovic JP, Erez O, Mittal P, Gotsch F, **Chaiworapongsa T**, Than NG, Kim SK, Pacora P, Yeo L, Dong Z, Hassan SS. Adiponectin in amniotic fluid in normal pregnancy, spontaneous labor at term, and

preterm labor: A novel association with intra-amniotic infection/inflammation. *J Matern Fetal Neonatal Med* 2010;23(2):120-130.

129. **Chaiworapongsa T**, Romero R, Gotsch F, Kusanovic JP, Mittal P, Kim SK, Erez O, Vaisbuch E, Mazaki-Tovi S, Kim CJ, Dong Z, Yeo L, Hassan SS. Acute pyelonephritis during pregnancy changes the balance of angiogenic and anti-angiogenic factors in maternal plasma. *J Matern Fetal Neonatal Med* 2010;23(2):167-178.
130. Kim SK, Romero R, Kusanovic JP, Erez O, Vaisbuch E, Mazaki-Tovi S, Gotsch F, Mittal P, **Chaiworapongsa T**, Pacora P, Oggé G, Gomez R, Yoon BH, Yeo L, Lamont RF, Hassan SS. The prognosis of pregnancy conceived despite the presence of an intrauterine device (IUD). *J Perinat Med* 2010;38(1):45-53.
131. Mazaki-Tovi S, Romero R, Vaisbuch E, **Chaiworapongsa T**, Erez O, Mittal P, Kim SK, Gotsch F, Lamont R, Ogge G, Pacora P, Goncalves L, Kim CJ, Gomez R, Espinoza J, Hassan SS, Kusanovic JP. Low circulating maternal adiponectin in patients with pyelonephritis: adiponectin at the crossroads of pregnancy and infection. *J Perinat Med* 2010;38(1):9-17.
132. Vaisbuch E, Romero R, Mazaki-Tovi S, Erez O, Kim SK, **Chaiworapongsa T**, Gotsch F, Than NG, Dong Z, Pacora P, Lamont RF, Yeo L, Hassan SS, Kusanovic JP. Retinol Binding Protein 4 – a novel association with early-onset preeclampsia. *J Perinatal Med* 2010;38(2):129-139.
133. Cruciani L, Romero R, Vaisbuch E, Kusanovic JP, **Chaiworapongsa T**, Mazaki-Tovi S, Mittal P, Ogge G, Gotsch F, Erez O, Kim SK, Dong Z, Pacora P, Lamont RF, Yeo L, Hassan SS, Di Renzo GC. Pentraxin 3 in amniotic fluid: a novel association with intra-amniotic infection and inflammation. *J Perinat Med* 2010;38(2):161-167.
134. Erez O, Romero R, Vaisbuch E, Kusanovic JP, Mazaki-Tovi S, **Chaiworapongsa T**, Gotsch F, Fareed J, Hoppensteadt D, Gabor TN, Yoon BH, Edwin S, Dong Z, Espinoza J, Mazor M, Hassan SS. High tissue factor activity and low tissue factor pathway inhibitor concentrations in patients with preterm labor. *J Matern Fetal Neonatal Med* 2010;23(1):23-33.
135. Vaisbuch E, Mazaki-Tovi S, Kusanovic JP, Erez O, Nandor Gabor T, Kim SK, Dong Z, Gotsch F, Mittal P, **Chaiworapongsa T**, Pacora P, Yeo L, Hassan SS, Romero R. Retinol binding protein 4: An adipokine associated with intra-amniotic infection/inflammation. *J Matern Fetal Neonatal Med* 2010;23(2):111-119.
136. Soto E, Romero R, Richani K, Espinoza J, **Chaiworapongsa T**, Nien JK, Edwin SS, Kim YM, Hong JS, Goncalves LF, Yeo L, Mazor M, Hassan SS, Kusanovic JP. Preeclampsia and pregnancies with small-for-gestational age neonates have different profiles of complement split products. *J Matern Fetal Neonatal Med* 2010;23(7):646-657.
137. Mazaki-Tovi S, Romero R, Kim SK, Vaisbuch E, Kusanovic JP, Erez O, **Chaiworapongsa T**, Gotsch F, Mittal P, Nhan-Chang CL, Than NG, Gomez R, Nien JK, Edwin SS, Pacora P, Yeo L, Hassan SS. Could alterations in maternal plasma visfatin concentration participate in the phenotype definition of preeclampsia and SGA? *J Matern Fetal Neonatal Med* 2010;23(8):857-868.
138. Oggé G, Romero R, **Chaiworapongsa T**, Gervasi MT, Pacora P, Erez O, Kusanovic JP, Vaisbuch E, Mazaki-Tovi S, Gotsch F, Mittal P, Kim YM, Hassan

- SS. Leukocytes of pregnant women with small-for-gestational age neonates have a different phenotypic and metabolic activity from those of women with preeclampsia. *J Matern Fetal Neonatal Med* 2010;23(6):476-487.
139. Mazaki-Tovi S, Vaisbuch E, Romero R, Kusanovic JP, **Chaiworapongsa T**, Kim SK, Nhan-Chang CL, Gomez R, Yoon BH, Yeo L, Mittal P, Ogge G, Gonzalez JM, Hassan SS. Maternal plasma concentration of the pro-inflammatory adipokine pre-b-cell-enhancing factor (PBEF)/Visfatin is elevated in pregnant patients with acute pyelonephritis. *Am J Reprod Immunol* 2010;63(3):252-262.
 140. **Chaiworapongsa T**, Romero R, Kusanovic JP, Mittal P, Kim SK, Gotsch F, Than NG, Mazaki-Tovi S, Vaisbuch E, Erez O, Yeo L, Hassan SS, Sorokin Y. Plasma soluble endoglin concentration in pre-eclampsia is associated with an increased impedance to flow in the maternal and fetal circulations. *Ultrasound Obstet Gynecol* 2010;35(2):155-162.
 141. Madan I, Romero R, Kusanovic JP, Mittal P, **Chaiworapongsa T**, Dong Z, Mazaki-Tovi S, Vaisbuch E, Savasan ZA, Yeo L, Jai Kim C, Hassan SS. The frequency and clinical significance of intra-amniotic infection and/or inflammation in women with placenta previa and vaginal bleeding: an unexpected observation. *J Perinat Med* 2010;38(3):275-279.
 142. Mazaki-Tovi S, Romero R, Vaisbuch E, Kim SK, Kusanovic JP, **Chaiworapongsa T**, Mittal P, Dong Z, Pacora P, Yeo L, Hassan SS. Evidence for differential regulation of the adipokine visfatin in the maternal and fetal compartments in normal spontaneous labor at term. *J Perinat Med* 2010;38(3):281-288.
 143. Alpay-Savasan Z, Romero R, **Chaiworapongsa T**, Kusanovic JP, Kim SK, Mazaki-Tovi S, Vaisbuch E, Mittal P, Ogge G, Madan I, Dong Z, Yeo L, Hassan SS. Evidence in support of a role for anti-angiogenic factors in preterm prelabor rupture of membranes. *J Matern Fetal Neonatal Med* 2010;23(8):828-841.
 144. Oggè G, Romero R, Kusanovic JP, **Chaiworapongsa T**, Dong Z, Mittal P, Vaisbuch E, Mazaki-Tovi S, Gonzalez JM, Yeo L, Hassan SS. Serum and plasma determination of angiogenic and anti-angiogenic factors yield different results: The need for standardization in clinical practice. *J Matern Fetal Neonatal Med* 2010;23(8):820-827.
 145. Vaisbuch E, Romero R, Erez O, Mazaki-Tovi S, Kusanovic JP, Soto E, Dong Z, **Chaiworapongsa T**, Kim SK, Ogge G, Pacora P, Yeo L, Hassan SS. Activation of the Alternative pathway of complement is a feature of pre-term parturition but not of spontaneous labor at term. *Am J Reprod Immunol* 2010;63(4):318-330.
 146. Mazaki-Tovi S, Vaisbuch E, Romero R, Kusanovic JP, **Chaiworapongsa T**, Kim SK, Ogge G, Yoon BH, Dong Z, Gonzalez JM, Gervasi M, Hassan SS. Hyperresistinemia – a novel feature in systemic infection during human pregnancy. *American Journal of Reproductive Immunology* 2010;63(5):358-369.
 147. **Chaiworapongsa T**, Romero R, Kusanovic JP, Alpay Savasan Z, Kim SK, Mazaki-Tovi S, Vaisbuch E, Ogge G, Madan I, Dong Z, Yeo L, Mittal P, Hassan SS. Unexplained fetal death is associated with increased concentrations of anti-angiogenic factors in amniotic fluid. *J Matern Fetal Neonatal Med* 2010;23(8):794-805.
 148. DiGiulio DB, Romero R, Kusanovic JP, Gomez R, Kim CJ, Seok K, Gotsch F, Mazaki-Tovi S, Vaisbuch E, Sanders K, Bik EM, **Chaiworapongsa T**, Oyarzun E,

- Relman DA. Prevalence and diversity of microbes in the amniotic fluid, the fetal Inflammatory Response, and Pregnancy Outcome in Women with Preterm Prelabor Rupture of Membranes. *Am J Reprod Immunol* 2010;64(1):38-57.
149. Romero R, Velez Edwards D, Kusanovic JP, Hassan SS, Mazaki-Tovi S, Vaisbuch E, Kim CJ, **Chaiworapongsa T**, Pearce BD, Friel LA, Bartlett J, Anant MK, Salisburt BA, Vovis GF, Lee MS, Gomez R, Behnke E, Oyarzun E, Tromp G, Williams SM, Menon R. Identification of fetal and maternal single nucleotide polymorphisms in candidate genes that predispose to spontaneous preterm labor and intact membranes. *Am J Obstet Gynecol* 2010;202(5):431.e1-34.
150. Lee DC, Romero R, Kim CJ, **Chaiworapongsa T**, Tarca AL, Lee JH, Suh Y-L, Mazaki-Tovi S, Vaisbuch E, Mittal P, Draghici S, Erez O, Kusanovic JP, Hassan SS, Kim J-S. Surfactant protein-A as an anti-inflammatory component in the amnion: implications for human pregnancy. *J Immunol* 2010;184(11):6479-6491.
151. Nhan-Chang CL, Romero R, Tarca AL, Mittal P, Kusanovic JP, Erez O, Mazaki-Tovi S, **Chaiworapongsa T**, Hotra J, Than NG, Kim J-S, Hassan SS, Kim CJ. Characterization of the transcriptome of chorioamniotic membranes at the site of rupture in spontaneous labor at term. *Am J Obstet Gynecol* 2010;202(5):462.e1-41.
152. Mazaki-Tovi S, Romero R, Vaisbuch E, Kusanovic JP, **Chaiworapongsa T**, Kim SK, Mittal P, Dong Z, Pacora P, Yeo L, Hassan SS. Retinol-binding protein 4: a novel adipokine implicated in the genesis of LGA in the absence of gestational diabetes mellitus. *J Perinat Med* 2010;38(4):147-155.
153. DiGiulio DB, Gervasi MT, Romero R, Vaisbuch E, Mazaki-Tovi S, Kusanovic JP, Seok KS, Gomez R, Mittal P, Gotsch F, **Chaiworapongsa T**, Oyarzun E, Kim CJ, Relman DA. Microbial invasion of the amniotic cavity in pregnancies with small-for-gestational-age fetuses. *J Perinat Med* 2010;38(5):495-502.
154. DiGiulio DB, Gervasi MT, Romero R, Mazaki-Tovi S, Vaisbuch E, Kusanovic JP, Gomez R, Seok KS, Mittal P, Gotsch F, **Chaiworapongsa T**, Oyarzun E, Kim CJ, Relman DA. Microbial invasion of the amniotic cavity in preeclampsia as assessed by cultivation and sequence-based methods. *J Perinat Med* 2010;38(5):503-513.
155. **Chaiworapongsa T**, Kusanovic JP, Savasan ZA, Mazaki-Tovi S, Kim SK, Vaisbuch E, Tarca AL, Mittal P, Ogge G, Madan I, Dong Z, Yeo L, Hassan SS, Romero R. Fetal death: A condition with a dissociation in the concentrations of soluble vascular endothelial growth factor receptor-2 between the maternal and fetal compartments. *J Matern Fetal Neonatal Med* 2010;23(9):960-972.
156. Vaisbuch E, Romero R, Erez O, Kusanovic JP, Mazaki-Tovi S, Gotsch F, Romero V, Ward C, **Chaiworapongsa T**, Mittal P, Sorokin Y, Hassan SS. The clinical significance of early (<20 weeks) versus late (20-24 weeks) detection of a sonographic short cervix in asymptomatic women in the mid-trimester. *Ultra Obstet Gynecol* 2010;36(4):471-481.
157. Soto E, Romero R, Vaisbuch E, Erez O, Mazaki-Tovi S, Kusanovic JP, Dong Z, **Chaiworapongsa T**, Yeo L, Mittal P, Hassan SS. Fragment Bb: evidence for activation of the alternative pathway of the complement system in pregnant women with acute pyelonephritis. *J Matern Fetal Neonatal Med* 2010;23(20):1085-1090.

158. Cruciani L, Romero R, Vaisbuch E, Kusanovic JP, **Chaiworapongsa T**, Mazaki-Tovi S, Dong Z, Kim SK, Ogge G, Yeo L, Mittal P, Hassan SS. Pentraxin 3 in maternal circulation: An association with preterm labor and preterm PROM, but not with intra-amniotic infection/inflammation. *J Matern Fetal Neonatal Med.* 2010;23(10):1097-1105.
159. Mazaki-Tovi S, Vaisbuch E, Romero R, Kusanovic JP, **Chaiworapongsa T**, Kim SK, Nhan-Chang CL, Gomez R, Alpay Savasan Z, Madan I, Yoon BH, Yeo L, Mittal P, Ogge G, Gonzalez JM, Hassan SS. Maternal and neonatal circulating visfatin concentrations in patients with pre-eclampsia and a small-for-gestational age neonate. *J Matern Fetal Neonatal Med.* 2010;23(10):1119-1128.
160. Vaisbuch E, Romero R, Mazaki-Tovi S, Kusanovic JP, **Chaiworapongsa T**, Dong Z, Kim SK, Ogge G, Gervasi MT, Hassan SS. Maternal plasma retinol binding protein 4 in acute pyelonephritis during pregnancy. *J Perinat Med* 2010;38(4):359-366.
161. Mittal P, Romero R, Tarca AL, Gonzalez JM, Draghici S, Xu Y, Dong Z, Nhan-Chang CL, **Chaiworapongsa T**, Lye S, Kusanovic JP, Lipovich L, Mazaki-Tovi S, Hassan SS, Mesiano S, Kim CJ. Characterization of the myometrial transcriptome and biological pathways of spontaneous human labor at term. *J Perinat Med* 2010;38(6):617-643.
162. Romero R, Friel LA, Velez D, Kusanovic JP, Hassan SS, Mazaki-Tovi S, Vaisbuch E, Kim CJ, Erez O, **Chaiworapongsa T**, Pearce B, Bartlett J, Anant MK, Salisbury BA, Vovis GF, Lee MS, Gomez R, Behnke E, Oyarzun E, Tromp G, Williams SM, Menon R. A genetic association study of maternal and fetal candidate genes that predispose to preterm prelabor rupture of membranes (PROM). *Am J Obstet Gynecol* 2010;203(4):361.e1-361.e30.
163. Hassan SS, Romero R, Tarca AL, Nhan-Chang CL, Mittal P, Vaisbuch E, Gonzalez JM, **Chaiworapongsa T**, Ali-Fehmi R, Dong Z, Than NG, Kim CJ. The molecular basis for sonographic cervical shortening at term: identification of differentially expressed genes and the epithelial-mesenchymal transition as a function of cervical length. *Am J Obstet Gynecol* 2010;203(5):472.e1-472.e14.
164. Vaisbuch E, Romero R, Mazaki-Tovi S, Erez O, Kusanovic JP, Mittal P, Gotsch F, Ward C, Romero V, **Chaiworapongsa T**, Pacora P, Yeo L, Hassan SS. The risk of impending preterm delivery in asymptomatic patients with a nonmeasurable cervical length in the second trimester. *Am J Obstet Gynecol* 2010;203(5):446.e1-9.
165. Romero R, Mazaki-Tovi S, Vaisbuch E, Kusanovic JP, **Chaiworapongsa T**, Gomez R, Nien JK, Yoon BH, Mazor M, Luo J, Banks D, Ryals J, Beecher C. Metabolomics in premature labor: a novel approach to identify patients at risk for preterm delivery. *J Matern Fetal Neonatal Med* 2010;23(12):1344-1359.
166. Romero R, **Chaiworapongsa T**, Erez O, Tarca A, Gervasi MT, Kusanovic JP, Mittal P, Ogge G, Vaisbuch E, Mazaki-Tovi S, Dong Z, Kim SK, Yeo L, Hassan SS. An imbalance between angiogenic and anti-angiogenic factors precedes fetal death in a subset of patients: results of a longitudinal study. *J Matern Fetal Neonatal Med* 2010;23(12):1384-1399.
167. Mittal P, Romero R, Tarca AL, Draghici S, Nhan-Chang CL, **Chaiworapongsa T**, Hotra J, Gomez R, Kusanovic JP, Lee DC, Kim CJ, Hassan SS. A molecular

signature of an arrest of descent in human parturition. *Am J Obstet Gynecol* 2011;204(2):177.e.15-33.

168. Ogge G, Romero R, Lee DC, Gotsch F, Than NG, Lee J, **Chaiworapongsa T**, Dong Z, Mittal P, Hassan SS, Kim CJ. Chronic chorioamnionitis displays distinct alterations of the amniotic fluid proteome. *J Pathol* 2011;223:553-565.
169. Lee J, Romero R, Xu Y, Kim JS, Topping V, Yoo W, Kusanovic JP, **Chaiworapongsa T**, Hassan SS, Yoon BH, Kim CJ. A Signature of Maternal Anti-Fetal Rejection in Spontaneous Preterm Birth: Chronic Chorioamnionitis, Anti-Human Leukocyte Antigen Antibodies, and C4d. *PLoS ONE* 2011;6(2):e16806.
170. Velez Edwards DR, Romero R, Kusanovic JP, Hassan SS, Mazaki-Tovi S, Vaisbuch E, Kim CJ, Erez O, **Chaiworapongsa T**, Pearce B, Bartlett J, Friel LA, Salisbury BA, Anant MK, Vovis G, Lee MS, Gomez R, Behnke E, Oyarzun E, Tromp G, Menon R, Williams SM. Polymorphisms in Maternal and Fetal Genes Encoding for Proteins Involved in Extracellular Matrix Metabolism Alter the Risk for Small-for-Gestational-Age. *J Maternal Fetal Neonatal Med* 2011;24(2):362-380.
171. Vaisbuch E, Romero R, Gomez R, Kusanovic JP, Mazaki-Tovi S, **Chaiworapongsa T**, Hassan SS. An Elevated Fetal IL-6 Concentration Can Be Observed in Fetuses with Anemia Due To Rh Alloimmunization: Implications for the Understanding of the Fetal Inflammatory Response Syndrome. *J Matern Fetal Neonatal Med* 2011;24(3):391-396.
172. Hamill N, Yeo L, Romero R, Hassan SS, Myers SA, Mittal P, Kusanovic JP, Balasubramaniam M, **Chaiworapongsa T**, Vaisbuch E, Espinoza J, Gotsch F, Goncalves F, Lee W. Fetal cardiac ventricular volume, cardiac output, and ejection fraction determined with fourdimensional ultrasound using Spatio-Temporal Image Correlation (STIC) and Virtual Organ Computedaided AnaLysis (VOCAL). *American Journal of Obstetrics and Gynecology*. In Press.