

Lami Yeo, M.D.

PUBLICATIONS

1. **Yeo L**, Guzman ER, Shen-Schwarz S, Walters C, Vintzileos AM. Value of a complete sonographic survey in detecting fetal abnormalities: correlation with perinatal autopsy. *J Ultrasound Med* 2002; 21:501-510.
2. Vintzileos AM, Guzman ER, Smulian JC, **Yeo L**, Scorza WE, Knuppel RA. Second-trimester genetic sonography in patients with advanced maternal age and normal triple screen. *Obstet Gynecol* 2002; 99:993-995.
3. Vintzileos AM, Guzman ER, Smulian JC, **Yeo L**, Scorza WE, Knuppel RA. Down syndrome risk estimation after normal genetic sonography. *Am J Obstet Gynecol* 2002 Nov; 187(5):1226-1229.
4. **Yeo L**, Vintzileos AM. The use of genetic sonography to reduce the need for amniocentesis in women at high-risk for Down syndrome. *Semin Perinatol* 2003; 27:152-159.
5. **Yeo L**, Guzman ER, Day-Salvatore D, Walters C, Chavez D, Vintzileos AM. Prenatal detection of fetal trisomy 18 through abnormal sonographic features. *J Ultrasound Med* 2003; 22:581-590.
6. **Yeo L**, Guzman ER, Ananth CV, Walters C, Day-Salvatore D, Vintzileos AM. Prenatal detection of fetal aneuploidy by sonographic ear length. *J Ultrasound Med* 2003; 22:565-576.
7. **Yeo L**, Waldron R, Lashley S, Day-Salvatore D, Vintzileos AM. Prenatal sonographic findings associated with nonmosaic trisomy 9 and literature review. *J Ultrasound Med* 2003; 22:425-430.
8. Vintzileos AM, Walters C, **Yeo L**. Absent nasal bone in the prenatal detection of fetuses with trisomy 21 in a high risk population. *Obstet Gynecol* 2003; 101:905-908.
9. Ananth CV, Oyelese Y, Srinivas N, **Yeo L**, Vintzileos AM. Preterm premature rupture of membranes, intrauterine infection, and oligohydramnios: risk factors for placental abruption. *Obstet Gynecol* 2004 Jul; 104:71-77.
10. Oyelese Y, Chavez MR, **Yeo L**, Giannina G, Kontopoulos EV, Smulian JC, Scorza WE. Three-dimensional sonographic diagnosis of vasa previa. *Ultrasound Obstet Gynecol* 2004 Aug; 24:211-215.
11. Chavez M, Ananth CV, Smulian JC, **Yeo L**, Oyelese Y, Vintzileos AM. Fetal transcerebellar diameter measurement with particular emphasis in the third trimester: a reliable predictor of gestational age. *Am J Obstet Gynecol* 2004 Sep; 191:979-984.
12. Oyelese Y, **Yeo L**, Kinzler W, Smulian J, Vintzileos AM. Persistent funic presentation resulting from marginal cord insertion into a low-lying placenta. *Ultrasound Obstet Gynecol* 2004 Nov; 24:692-693.
13. Ananth CV, Oyelese Y, **Yeo L**, Pradhan A, Vintzileos AM. Placental abruption in the United States, 1979 through 2001: temporal trends and potential determinants. *Am J Obstet Gynecol* 2005 Jan; 192:191-198.

14. Nath CA, Oyelese Y, **Yeo L**, Chavez M, Kontopoulos EV, Giannina G, Smulian JC, Vintzileos AM. Three-dimensional sonography in the evaluation and management of fetal goiter. *Ultrasound Obstet Gynecol.* 2005 Mar; 25:312-314.
15. **Yeo L**, Vintzileos AM. Second trimester genetic ultrasonography. *Female Patient* 2006 Mar; 31:32-36.
16. Chavez MR, Ananth CV, Kaminsky LM, Smulian JC, **Yeo L**, Vintzileos AM. Fetal transcerebellar diameter measurement for prediction of gestational age in twins. *Am J Obstet Gynecol.* 2006 Dec; 195:1596-1600.
17. **Yeo L**, Vintzileos AM. The role of ultrasound in prenatal detection of chromosomal abnormalities. *Expert Rev. Obstet. Gynecol.* 2008 Jan; 3:103-117.
18. Mazaki-Tovi S, Romero R, Kusanovic JP, Vaisbuch E, Erez O, Than NG, Chaiworapongsa T, Nhan-Chang CL, Pacora P, Gotsch F, **Yeo L**, Kim SK, Edwin SS, Hassan SS, Mittal P. Visfatin in human pregnancy: maternal gestational diabetes vis-à-vis neonatal birthweight. *J Perinat Med.* 2008; 36(6):485-496.
19. Vaisbuch E, Romero R, Kusanovic JP, Erez O, Mazaki-Tovi S, Gotsch F, Kim CJ, Kim JS, **Yeo L**, Hassan S. Three dimensional sonography of placental mesenchymal dysplasia and its differential diagnosis. *J Ultrasound Med.* 2009 Mar; 28(3):359-368.
20. **Yeo L**, Romero R. Sonographic evaluation in the second stage of labor to improve the assessment of labor progress and its outcome. *Ultrasound Obstet Gynecol* 2009 Mar; 33(3);253-258.
21. **Yeo L**, Romero R. Reply. *Ultrasound Obstet Gynecol* 2009 May 11; 33(6):736.
22. Mazaki-Tovi S, Romero R, Kusanovic JP, Vaisbuch E, Erez O, Than NG, Chaiworapongsa T, Nhan-Chang CL, Pacora P, Gotsch F, **Yeo L**, Kim SK, Edwin SS, Hassan SS, Mittal P. Maternal visfatin concentration in normal pregnancy. *J Perinat Med.* 2009; 37(3):206-217.
23. Mazaki-Tovi S, Romero R, Vaisbuch E, Kusanovic JP, Erez O, Gotsch F, Chaiworapongsa T, Than NG, Kim SK, Nhan-Chang CL, Jodicke C, Pacora P, **Yeo L**, Dong Z, Yoon BH, Hassan SS, Mittal P. Maternal serum adiponectin multimers in preeclampsia. *J Perinat Med.* 2009; 37(4):349-363.
24. Pacora P, Romero R, Chaiworapongsa T, Kusanovic JP, Erez O, Vaisbuch E, Mazaki-Tovi S, Gotsch F, Jai Kim C, Than NG, **Yeo L**, Mittal P, Hassan SS. Amniotic fluid angiopoietin-2 in term and preterm parturition, and intra-amniotic infection/inflammation. *J Perinat Med.* 2009; 37(5):503-511.
25. Kim SK, Romero R, Chaiworapongsa T, Kusanovic JP, Mazaki-Tovi S, Mittal P, Erez O, Vaisbuch E, Gotsch F, Pacora P, **Yeo L**, Gervasi MT, Lamont RF, Yoon BH, Hassan SS. Evidence of changes in the immunophenotype and metabolic characteristics (intracellular reactive oxygen radicals) of fetal, but not maternal, monocytes and granulocytes in the fetal inflammatory response syndrome. *J Perinat Med.* 2009; 37(5):543-552.
26. Mazaki-Tovi S, Romero R, Vaisbuch E, Erez O, Mittal P, Chaiworapongsa T, Kim SK, Pacora P, **Yeo L**, Gotsch F, Dong Z, Yoon BH, Hassan SS, Kusanovic JP. Maternal serum adiponectin multimers in patients with a small-For-gestational-age newborn. *J Perinat Med.* 2009; 37(6):623-635.

27. Mazaki-Tovi S, Romero R, Vaisbuch E, Erez O, Mittal P, Chaiworapongsa T, Kim SK, Pacora P, **Yeo L**, Gotsch F, Dong Z, Yoon BH, Hassan SS, Kusanovic JP. Maternal serum adiponectin multimers in gestational diabetes. *J Perinat Med*. 2009; 37(6):637-650.
28. Erez O, Romero R, Vaisbuch E, Kusanovic JP, Mazaki-Tovi S, Chaiworapongsa T, Than NG, Gotsch F, Kim JK, Mittal P, Edwin SS, Pacora P, Kim SK, **Yeo L**, Mazor M, Hassan SS. Maternal anti-protein Z antibodies in pregnancies complicated by preeclampsia, SGA and fetal death. *J Matern Fetal Neonatal Med*. 2009 Aug; 22(8):662-671.
29. Smulian JC, **Yeo L**, Vintzileos AM. Second-trimester genetic ultrasonography. *The Female Patient* 2009 Aug; 34(8):45-48.
30. Erez O, Gotsch F, Mazaki-Tovi S, Vaisbuch E, Kusanovic JP, Kim CJ, Chaiworapongsa T, Hoppensteadt D, Fareed J, Than NG, Nhan-Chang CL, **Yeo L**, Pacora P, Mazor M, Hassan S, Mittal P, Romero R. Evidence of maternal platelet activation, excessive thrombin generation, and high amniotic fluid tissue factor immunoreactivity and functional activity in patients with fetal death. *J Matern Fetal Neonatal Med*. 2009 Aug; 22(8):672-687.
31. Mazaki-Tovi S, Romero R, Vaisbuch E, Erez O, Mittal P, Chaiworapongsa T, Kim SK, Pacora P, **Yeo L**, Gotsch F, Dong Z, Nhan-Chang CL, Jodicke C, Yoon BH, Hassan SS, Kusanovic JP. Dysregulation of maternal serum adiponectin in preterm labor. *J Matern Fetal Neonatal Med*. 2009 Oct; 22(10):887-904.
32. Vaisbuch E, Romero R, Erez O, Mazaki-Tovi S, Kusanovic JP, Soto E, Gotsch F, Dong Z, Chaiworapongsa T, Kim SK, Mittal P, Pacora P, **Yeo L**, Hassan SS. Fragment Bb in amniotic fluid: Evidence for complement activation by the alternative pathway in women with intra-amniotic infection/inflammation. *J Matern Fetal Neonatal Med*. 2009 Nov; 22(10):905-916.
33. Kusanovic JP, Romero R, Chaiworapongsa T, Erez O, Mittal P, Vaisbuch E, Mazaki-Tovi S, Gotsch F, Edwin SS, Gomez R, **Yeo L**, Conde-Agudelo A, Hassan SS. A prospective cohort study of the value of maternal plasma concentrations of angiogenic and anti-angiogenic factors in early pregnancy and midtrimester in the identification of patients destined to develop preeclampsia. *J Matern Fetal Neonatal Med*. 2009 Nov; 22(11):1021-1038.
34. Erez O, Romero R, Vaisbuch E, Chaiworapongsa T, Kusanovic JP, Mazaki-Tovi S, Gotsch F, Gomez R, Maymon E, Pacora P, Edwin SS, Kim CJ, Than NG, Mittal P, **Yeo L**, Dong Z, Yoon BH, Hassan SS, Mazor M. Changes in amniotic fluid concentration of thrombin antithrombin III complexes in patients with preterm labor- evidence of an increased thrombin generation. *J Matern Fetal Neonatal Med*. 2009 Nov; 22(11):971-982.
35. Gotsch F, Romero R, Erez O, Vaisbuch E, Kusanovic JP, Mazaki-Tovi S, Kim SK, Hassan S, **Yeo L**. The preterm parturition syndrome and its implications for understanding the biology, risk assessment, diagnosis, treatment and prevention of preterm birth. *J Matern Fetal Neonatal Med*. 2009;22 Suppl 2:5-23.
36. Hamill N, Romero R, Hassan SS, Lee W, Myers SA, Mittal P, Kusanovic JP, Chaiworapongsa T, Vaisbuch E, Espinoza J, Gotsch F, Carletti A, Goncalves LF, **Yeo L**. Repeatability and reproducibility of fetal cardiac ventricular volume calculations utilizing spatio-temporal image correlation and virtual organ computed-aided analysis. *J Ultrasound Med* 2009; 28:1301-1311.

37. Espinoza J, Romero R, Kusanovic JP, Gotsch F, Erez O, Hassan SS, **Yeo L**. Prenatal diagnosis of coarctation of the aorta with the multiplanar display and B-Flow imaging using 4-dimensional sonography. *J Ultrasound Med* 2009; 28:1375–1378.
38. Lee W, Comstock CH, Kazmierczak C, Wilson J, Gonçalves LF, Mody S, **Yeo L**, Romero R. Prenatal diagnostic challenges and pitfalls for Schizencephaly. *J Ultrasound Med* 2009 Oct; 28(10):1379-1384.
39. Lee W, Balasubramaniam M, Deter RL, **Yeo L**, Hassan SS, Gotsch F, Kusanovic JP, Goncalves LF, Romero R. New fetal weight estimation models using fractional limb volume. *Ultrasound Obstet Gynecol.* 2009 Nov; 34(5):556-565.
40. Lee W, Krisko A, Shetty A, **Yeo L**, Hassan SS, Gotsch F, Mody S, Gonçalves LF, Romero R. Non-invasive fetal lung assessment using diffusion-weighted imaging. *Ultrasound Obstet Gynecol.* 2009 Dec; 34(6):673-7.
41. Hassan SS, Romero R, Tarca AL, Nhan-Chang CL, Vaisbuch E, Erez O, Mittal P, Kusanovic JP, Mazaki-Tovi S, **Yeo L**, Draghici S, Kim JS, Uldbjerg N, Kim CJ. The transcriptome of cervical ripening in human pregnancy before the onset of labor at term: identification of novel molecular functions involved in this process. *J Matern Fetal Neonatal Med.* 2009 Dec; 22(12):1183-1193.
42. Chaiworapongsa T, Romero R, Tarca A, Kusanovic JP, Mittal P, Kim SK, Gotsch F, Erez O, Vaisbuch E, Mazaki-Tovi S, Pacora P, Ogge G, Dong Z, Kim CJ, **Yeo L**, Hassan SS. A subset of patients destined to develop spontaneous preterm labor has an abnormal angiogenic/anti-angiogenic profile in maternal plasma: evidence in support of pathophysiologic heterogeneity of preterm labor derived from a longitudinal study. *J Matern Fetal Neonatal Med.* 2009 Dec; 22(12):1122-1139.
43. Kusanovic JP, Romero R, Gotsch F, Mittal P, Erez O, Kim CJ, Hassan SS, Espinoza J, **Yeo L**. Discordant placental echogenicity: a novel sign of impaired placental perfusion in twin-twin transfusion syndrome? *J Matern Fetal Neonatal Med.* 2010 Jan; 23(1):103-106.
44. Lee W, Espinoza J, Cutler N, Bronsteen RA, **Yeo L**, Romero R. The “star fish” sign: a novel sonographic finding with B-flow imaging and spatiotemporal image correlation in a fetus with total anomalous pulmonary venous return. *Ultrasound Obstet Gynecol.* 2010 Jan; 35(1):124-125.
45. Kim SK, Romero R, Kusanovic JP, Erez O, Vaisbuch E, Mazaki-Tovi S, Gotsch F, Mittal P, Chaiworapongsa T, Pacora P, Oggé G, Gomez R, Yoon BH, **Yeo L**, Lamont RF, Hassan SS. The prognosis of pregnancy conceived despite the presence of an intrauterine device (IUD). *J Perinat Med.* 2010; 38(1):45-53.
46. Kusanovic JP, Romero R, Chaiworapongsa T, Mittal P, Mazaki-Tovi S, Vaisbuch E, Erez O, Gotsch F, Than NG, Edwin SS, Pacora P, Jodicke C, **Yeo L**, Hassan SS. Amniotic fluid sTREM-1 in normal pregnancy, spontaneous parturition at term and preterm, and intra-amniotic infection/inflammation. *J Matern Fetal Neonatal Med.* 2010 Jan; 23(1):34-47.
47. Chaiworapongsa T, Romero R, Kusanovic JP, Mittal P, Kim SK, Gotsch F, Than NG, Mazaki-Tovi S, Vaisbuch E, Erez O, **Yeo L**, Hassan SS, Sorokin Y. Plasma soluble endoglin concentration in pre-eclampsia is associated with an increased impedance to flow in the maternal and fetal circulations. *Ultrasound Obstet Gynecol.* 2010 Feb; 35(2):155-162.

48. Vaisbuch E, Mazaki-Tovi S, Kusanovic JP, Erez O, Than NG, Kim SK, Dong Z, Gotsch F, Mittal P, Chaiworapongsa T, Pacora P, **Yeo L**, Hassan SS, Romero R. Retinol Binding Protein 4: an adipokine associated with intra-amniotic infection/inflammation. *J Matern Fetal Neonatal Med.* 2010 Feb;23(2):111-119.
49. Mazaki-Tovi S, Romero R, Vaisbuch E, Kusanovic JP, Erez O, Mittal P, Gotsch F, Chaiworapongsa T, Than NG, Kim SK, Pacora P, **Yeo L**, Dong Z, Hassan SS. Adiponectin in amniotic fluid in normal pregnancy, spontaneous labor at term, and preterm labor: a novel association with subclinical intrauterine infection/inflammation. *J Matern Fetal Neonatal Med.* 2010 Feb;23(2):120-30.
50. Lee W, Balasubramaniam M, **Yeo L**, Hassan SS, Gotsch F, Kusanovic JP, Gonçalves LF, Romero R. Iliac crest angle: a novel sonographic parameter for the prediction of Down syndrome risk during the second trimester of pregnancy. *Ultrasound Obstet Gynecol.* 2010 Feb; 35(2):163-171.
51. Chaiworapongsa T, Romero R, Gotsch F, Kusanovic JP, Mittal P, Kim SK, Erez O, Vaisbuch E, Mazaki-Tovi S, Kim CJ, Dong Z, **Yeo L**, Hassan SS. Acute pyelonephritis during pregnancy changes the balance of angiogenic and anti-angiogenic factors in maternal plasma. *J Matern Fetal Neonatal Med.* 2010 Feb;23(2):167-78.
52. Mazaki-Tovi S, Vaisbuch E, Romero R, Kusanovic JP, Chaiworapongsa T, Kim SK, Nhan-Chang CL, Gomez R, Yoon BH, **Yeo L**, Mittal P, Ogge G, Gonzalez JM, Hassan SS. Maternal plasma concentration of the pro-inflammatory adipokine Pre-B-Cell Enhancing Factor (PBEF)/ visfatin is elevated in pregnant patients with acute pyelonephritis. *Am J Reprod Immunol.* 2010 Mar 1;63(3):252-62.
53. Cruciani L, Romero R, Vaisbuch E, Kusanovic JP, Chaiworapongsa T, Mazaki-Tovi S, Mittal P, Ogge G, Gotsch F, Erez O, Kim SK, Dong Z, Pacora P, Lamont R, **Yeo L**, Hassan SS, Di Renzo G. Pentraxin 3 in amniotic fluid: a novel association with intra-amniotic infection and inflammation. *J Perinat Med.* 2010 Mar;38(2):161-71.
54. Mazaki-Tovi S, Romero R, Vaisbuch E, Kusanovic JP, Chaiworapongsa T, Kim SK, Mittal P, Dong Z, Pacora P, **Yeo L**, Hassan SS. Retinol-binding protein-4: a novel adipokine implicated in the genesis of LGA in the absence of gestational diabetes mellitus. *J Perinat Med.* 2010 Mar;38(2):147-55.
55. Vaisbuch E, Romero R, Erez O, Mazaki-Tovi S, Kusanovic JP, Soto E, Dong Z, Chaiworapongsa T, Kim SK, Ogge G, Pacora P, **Yeo L**, Hassan SS. Activation of the alternative pathway of complement is a feature of pre-term parturition but not of spontaneous labor at term. *Am J Reprod Immunol.* 2010 Apr 1;63(4):318-30.
56. Gotsch F, Romero R, Espinoza J, Kusanovic JP, Erez O, Hassan SS, **Yeo L**. Prenatal diagnosis of truncus arteriosus using multiplanar display in 4D ultrasonography. *J Matern Fetal Neonatal Med.* 2010 Apr;23(4):297-307.
57. Romero R, Kusanovic JP, Gomez R, Lamont R, Garfield R, Mittal P, Hassan SS, **Yeo L**. The clinical significance of eosinophils in the amniotic fluid in preterm labor. *J Matern Fetal Neonatal Med* 2010 Apr;23(4):320-9.
58. Romero R, Kusanovic JP, Munoz H, Gomez R, Lamont R, **Yeo L**. Allergy-induced preterm labor after the ingestion of shellfish *J Matern Fetal Neonatal Med.* 2010 Apr;23(4):351-9.
59. Romero R, Kusanovic JP, Gotsch F, Erez O, Vaisbuch E, Mazaki-Tovi S, Moser A, Tam S, Leszyk J, Master SR, Juhasz P, Pacora P, Ogge G, Gomez R, Yoon BH, **Yeo L**,

Hassan SS, Rogers WT. Isobaric labeling and tandem mass spectrometry: a novel approach for profiling and quantifying proteins differentially expressed in amniotic fluid in preterm labor with and without intra-amniotic infection/inflammation. *J Matern Fetal Neonatal Med.* 2010 Apr;23(4):261-80.

60. Madan I, Romero R, Kusanovic JP, Mittal P, Chaiworapongsa T, Dong Z, Mazaki-Tovi S, Vaisbuch E, Alpay-Savasan Z, **Yeo L**, Kim CJ, Hassan SS. The frequency and clinical significance of intra-amniotic infection/inflammation in women with placenta previa and vaginal bleeding; an unexpected observation. *J Perinat Med.* 2010 May;38(3):275-9.
61. Mazaki-Tovi S, Romero R, Vaisbuch E, Kim SK, Kusanovic JP, Chaiworapongsa T, Mittal P, Dong Z, Pacora P, **Yeo L**, Hassan SS. Evidence for differential regulation of the adipokine visfatin in the maternal and fetal compartments in normal spontaneous labor at term. *J Perinat Med.* 2010 May;38(3):281-8.
62. Vaisbuch E, Hassan SS, Mazaki-Tovi S, Nhan-Chang CL, Kusanovic JP, Chaiworapongsa T, Dong Z, **Yeo L**, Mittal P, Yoon BH, Romero R. Patients with an asymptomatic short cervix (≤ 15 mm) have a high rate of subclinical intra-amniotic inflammation: implications for patient counseling. *Am J Obstet Gynecol.* 2010 May;202(5):433.e1-8.
63. Chaiworapongsa T, Romero R, Tarca A, Kusanovic JP, Gotsch F, Mittal P, Kim SK, Vaisbuch E, Mazaki-Tovi S, Erez O, Dong Z, Kim CJ, **Yeo L**, Hassan SS. A decrease in maternal plasma concentrations of sVEGFR-2 precedes the clinical diagnosis of preeclampsia. *Am J Obstet Gynecol.* 2010 Jun;202(6):550.e1-550.e10.
64. Espinoza J, Kusanovic JP, Bahado-Singh R, Gervasi MT, Romero R, Lee W, Vaisbuch E, Mazaki-Tovi S, Mittal P, Gotsch F, Erez O, Gomez R, **Yeo L**, Hassan SS. Should bilateral uterine artery notching be used in the risk assessment for preeclampsia, SGA and gestational hypertension? *J Ultrasound Med.* 2010 Jul;29(7):1103-15.
65. Soto E, Romero R, Richani K, Espinoza J, Chaiworapongsa T, Nien JK, Edwin SS, Kim YM, Hong JS, Goncalves LF, **Yeo L**, Mazor M, Hassan SS, Kusanovic JP. Preeclampsia and pregnancies with small-for-gestational age neonates have different profiles of complement split products. *J Matern Fetal Neonatal Med.* 2010 Jul;23(7):646-57.
66. Conde-Agudelo A, Romero R, Hassan SS, **Yeo L**. Transvaginal sonographic cervical length for the prediction of spontaneous preterm birth in twin pregnancies: a systematic review and metaanalysis. *Am J Obstet Gynecol.* 2010 Aug;203(2):128.e1-12.
67. Ogge G, Romero R, Kusanovic JP, Chaiworapongsa T, Dong Z, Mittal P, Vaisbuch E, Mazaki-Tovi S, Gonzalez J, **Yeo L**, Hassan SS. Serum and plasma determination of angiogenic and anti-angiogenic factors yield different results: the need for standardization in clinical practice. *J Matern Fetal Neonatal Med.* 2010 Aug;23(8):820-7.
68. Chaiworapongsa T, Romero R, Kusanovic JP, Alpay-Savasan Z, Kim SK, Mazaki-Tovi S, Vaisbuch E, Ogge G, Madan G, Dong Z, **Yeo L**, Mittal P, Hassan SS. Unexplained fetal death is associated with increased concentrations of antiangiogenic factors in amniotic fluid. *J Matern Fetal Neonatal Med.* 2010 Aug;23(8):794-805.
69. Savasan ZA, Romero R, Chaiworapongsa T, Kusanovic JP, Kim SK, Mazaki-Tovi S, Vaisbuch E, Mittal P, Ogge G, Madan I, Dong Z, **Yeo L**, Hassan SS. Evidence in support of a role for anti-angiogenic factors in preterm prelabor rupture of membranes. *J Matern Fetal Neonatal Med.* 2010 Aug;23(8):828-41.

70. Mazaki-Tovi S, Romero R, Kim SK, Vaisbuch E, Kusanovic JP, Erez O, Chaiworapongsa T, Gotsch F, Mittal P, Nhan-Chang CL, Than NG, Gomez R, Nien JK, Edwin SS, Pacora P, **Yeo L**, Hassan SS. Could alterations in maternal plasma visfatin concentration participate in the phenotype definition of preeclampsia and SGA? *J Matern Fetal Neonatal Med.* 2010 Aug;23(8):857-68.
71. Chaiworapongsa T, Kusanovic JP, Alpay Savasan Z, Mazaki-Tovi S, Kim SK, Vaisbuch E, Tarca AL, Mittal P, Ogge G, Madan I, Dong Z, **Yeo L**, Hassan SS, Romero R. Fetal death: a condition with dissociation in the concentrations of soluble vascular endothelial growth factor receptor-2 between the maternal and fetal compartments. *J Matern Fetal Neonatal Med.* 2010 Sep;23(9):960-72.
72. **Yeo L**, Romero R, Jodicke C, Kim SK, Gonzalez J, Oggè G, Lee W, Kusanovic JP, Vaisbuch E, Hassan S. STAR (Simple Targeted Arterial Rendering) technique: a novel and simple method to visualize the fetal cardiac outflow tracts. *Ultrasound Obstet Gynecol.* 2010 Sep 27. [Epub ahead of print]
73. **Yeo L**, Romero R, Jodicke C, Oggè G, Lee W, Kusanovic JP, Vaisbuch E, Hassan S. FAST (Four chamber view and swing technique) Echo: a novel and simple algorithm to visualize standard fetal echocardiographic planes. *Ultrasound Obstet Gynecol.* 2011; 37: 423–431.
74. Soto E, Romero R, Vaisbuch E, Erez O, Mazaki-Tovi S, Kusanovic JP, Dong Z, Chaiworapongsa T, **Yeo L**, Mittal P, Hassan SS. Fragment Bb: evidence for activation of the alternative pathway of the complement system in pregnant women with acute pyelonephritis. *J Matern Fetal Neonatal Med.* 2010 Oct;23(10):1085-90.
75. Cruciani L, Romero R, Vaisbuch, Kusanovic JP, Chaiworapongsa T, Mazaki-Tovi S, Dong Z, Kim SK, Ogge G, **Yeo L**, Mittal P, Hassan SS. Pentraxin 3 in maternal circulation: an association with preterm labor and preterm PROM, but not with intra-amniotic infection/inflammation. *J Matern Fetal Neonatal Med.* 2010 Oct;23(10):1097-105.
76. Mazaki-Tovi S, Vaisbuch E, Romero R, Kusanovic JP, Chaiworapongsa T, Kim SK, Nhan-Chang CL, Gomez R, Alpay Savasan Z, Madan I, Yoon BH, **Yeo L**, Mittal P, Ogge G, Gonzalez JM, Hassan SS. Maternal and neonatal circulating visfatin concentration in patients with pre-eclampsia and a small-for-gestational age neonate. *J Matern Fetal Neonatal Med.* 2010 Oct;23(10):1119-28.
77. Vaisbuch E, Romero R, Mazaki-Tovi S, Erez O, Kusanovic JP, Mittal P, Gotsch F, Ward C, Romero V, Chaiworapongsa T, Pacora P, **Yeo L**, Hassan SS. The risk of impending preterm delivery in asymptomatic patients with a nonmeasurable cervical length in the second trimester. *Am J Obstet Gynecol.* 2010 Nov;203(5):446.e1-9.
78. Espinoza J, Lee W, Comstock C, Romero R, **Yeo L**, Rizzo G, Paladini D, Viñals F, Achiron R, Gindes L, Abuhamad A, Sinkovskaya E, Russell E, Yagel S. Collaborative study on 4-dimensional echocardiography for the diagnosis of fetal heart defects: the COFEHD study. *J Ultrasound Med.* 2010 Nov;29(11):1573-80.
79. Romero R, Chaiworapongsa T, Erez O, Tarca A, Gervasi MT, Kusanovic JP, Mittal P, Ogge G, Vaisbuch E, Mazaki-Tovi S, Dong Z, Kim SK, **Yeo L**, Hassan SS. An imbalance between angiogenic and anti-angiogenic factors precedes fetal death in a subset of patients: results of a longitudinal study. *J Matern Fetal Neonatal Med.* 2010 Dec;23(12):1384-99.